


United States Department of Agriculture National Agricultural Statistics Service

Idaho Wheat Varieties





Released: March 11, 2011 (Revision of July 9, 2010 report)

Media Contact: Vince Matthews

REVISED 2010 IDAHO WHEAT VARIETIES


Varieties were revised after the release of the county estimate district totals on February 18, 2011. WestBred 936, a hard red spring wheat was the most popular variety accounting for 9.9 percent of the wheat seeded in 2010. Brundage, a soft white winter variety, drops to Idaho's second most popular wheat variety. Statewide, WestBred 936 accounts for 9.9 percent of all wheat planted compared to 10.0 percent of all wheat in 2008. The remaining top five varieties in 2010 are Brundage, second with 9.7 percent; Alturas, a soft white spring, third with 7.1 percent; Jefferson, a hard red spring, fourth with 5.4 percent and Klasic, a hard white spring, fifth with 4.5 percent of all wheat planted.

Comparing 2010's top five varieties with where they ranked in 2008, Brundage and WestBred 936 switched places for the top two varieties. Alturas remained unchanged as the third leading variety. Fourth ranked Jefferson was ranked sixth in 2008 and fifth ranked Klasic was seventh in 2008.

By class, soft white winter wheat accounted for 37.1 percent of all wheat acres, down from 41.1 percent of the acreage in 2008. Hard red spring wheat accounts for 21.1 percent this year compared to 18.9 percent in 2008. The third most popular class in 2010 is soft white spring, accounting for 15.7 percent in 2010 compared to 13.3 percent of all wheat acres in 2008. The fourth most popular class in 2010 is hard red winter, accounting for 14.3 percent in 2010 compared to 18.2 percent of all wheat acres in 2008. Overall, 35.4 percent of the 2010 wheat crop is hard red winter and spring wheat, down 1.7 percentage points from 2008. Soft white winter and spring wheat accounted for 52.8 percent, down 1.6 percentage points from 2008. The remaining 11.8 percent of the wheat planted was hard white spring wheat, club wheat and durum wheat.

This publication includes estimates for the twenty wheat varieties with the largest acreage planted. A supplemental publication showing estimates for additional varieties is available under the publications link on our website, from the Idaho Wheat Commission, and by direct request to our office.

LEADING WHEAT VARIETIES PLANTED



Partial funding for the 2010 Idaho Wheat Variety Survey was provided by the Idaho Wheat Commission. Find agricultural statistics for your county, State, and the Nation at www.nass.usda.gov.

REVISED 2010 IDAHO WHEAT VARIETIES

PERCENTAGE OF WHEAT PLANTED TO VARIOUS VARIETIES 1/

VARIETY	CLASS	2010					
		DISTRICT 10	DISTRICT 70		DISTRICT 90	STATE	2008 ^{3/}
							_
WestBred 936	HRS			4.6	18.9	9.9	10.0
Brundage	SWW	2.7	13.2	6.4	14.9	9.7	10.9
Alturas	SWS			5.9	12.0	7.1	6.5
Jefferson	HRS	2.0			9.0	5.4	3.9
Klasic	HWS			6.7	7.5	4.5	3.4
WestBred 528	SWW	8.1			0.8	3.5	3.0
Stephens	SWW	0.9	42.2	5.3	0.2	3.4	5.8
Louise	SWS	6.7		0.9		2.5	1.7
ORCF 102	SWW	6.9			0.4	2.5	0.5
Promontory	HRW			8.8	2.6	2.3	2.4
Madsen	SWW	6.7				2.3	4.9
Nick	SWS	5.7			0.4	2.2	0.9
Penawawa	SWS	0.4	1.0	1.0	3.4	2.0	2.0
Utah 100	HRW			1.3	3.4	1.9	1.7
Snow Crest	HWS			6.8	2.0	1.8	0.7
Eddy	HRW	4.9				1.7	2.4
WestBred 470				5.3	1.4	1.6	2.6
Tubbs	SWW	3.7	4.8			1.6	2.5
Xerpha		4.4				1.5	4/
Clearfirst		4.3				1.5	0.7
Other ^{2/}		41.6		39.8	22.8	31.2	33.5
ALL WHEAT	_	100.0		100.0	100.0	100.0	100.0
CLASS							
Soft White Winter	SWW	57.5	74.7	26.2	21.5	37.1	41.1
Hard Red Spring	HRS	11.5	10.1	11.9	31.2	21.1	18.9
Soft White Spring	SWS	13.4	13.9	14.9	17.7	15.7	13.3
Hard Red Winter	HRW	10.6	1.3	29.2	14.6	14.3	18.2
Hard White Spring	HWS	0.2		14.9	12.0	7.7	5.4
Winter Club	WC					1.8	1.5
Durum	DURUM			1.2	2.6	1.4	1.1
Spring Club	SC	1.5				0.5	0.2
Hard White Winter	HWW			1.8		0.4	0.2
ALL WINTER WHEAT	_	73.4	75.9	57.1	36.5	53.6	$60.7^{5/}$
ALL SPRING WHEAT	_	26.6	24.1	41.7	60.9	45.0	38.6 ^{5/}
ALL WHEAT		100.0	100.0	100.0	100.0	100.0	100.0

^{1/} Percents are derived and may not multiply to acreage or add to total due to rounding. Some district percents are omitted in order to prevent disclosure of individual operations. 2/ Includes varieties not listed above and unknown varieties. 3/ Did not conduct 2009 wheat variety survey. 4/ Did not publish. 5/ Updated after the wheat variety survey was conducted.

REVISED 2010 IDAHO WHEAT VARIETIES

ACRES OF WHEAT PLANTED TO VARIOUS VARIETIES 1/

		S OF WHEAT PLANTED TO VARIOUS VARIETIES 1/ 2010					
VARIETY	CLASS	DISTRICT 10	DISTRICT 70	DISTRICT 80	DISTRICT 90	STATE	
WestBred 936	HRS			7,800	129,000	138,700	
Brundage	SWW	12,800	10,400	10,800	102,000	136,000	
Alturas	SWS			9,900	81,700	99,000	
Jefferson	HRS	9,300			61,500	75,200	
Klasic	HWS			11,200	51,100	62,300	
WestBred 528	SWW	38,200			5,700	48,500	
Stephens	SWW	4,100	33,300	8,900	1,200	47,500	
Louise	SWS	31,700		1,500		35,300	
ORCF 102	SWW	32,500			2,400	35,000	
Promontory	HRW			14,800	17,900	32,700	
Madsen	SWW	31,400				32,100	
Nick	SWS	26,600			2,700	30,900	
Penawawa	SWS	1,900	800	1,700	23,500	27,900	
Utah 100	HRW			2,100	23,400	26,400	
Snow Crest	HWS			11,500	13,400	24,900	
Eddy	HRW	23,000				24,200	
WestBred 470	SWW			8,900	9,700	22,900	
Tubbs	SWW	17,300	3,800			22,300	
Xerpha	SWW	20,500	400			20,900	
Clearfirst	SWW	20,300				20,800	
Other ^{2/}	_	195,300	18,700	66,900	155,600	436,500	
ALL WHEAT	_	470,000	79,000	168,000	683,000	1,400,000	
<u>CLASS</u>							
Soft White Winter	SWW	270,200	59,000	44,000	146,800	520,000	
Hard Red Spring	HRS	54,000	8,000	20,000	213,000	295,000	
Soft White Spring	SWS	63,000	11,000	25,000	121,000	220,000	
Hard Red Winter	HRW	50,000	1,000	49,000	100,000	200,000	
Hard White Spring	HWS	1,000		25,000	82,000	108,000	
Winter Club	WC					25,000	
Durum	DURUM			2,000	18,000	20,000	
Spring Club	SC	7,000				7,000	
Hard White Winter	HWW			3,000		5,000	
ALL WINTER WHEAT		345,000	60,000	96,000	249,000	750,000	
ALL SPRING WHEAT		125,000	19,000	70,000	416,000	630,000	
ALL WHEAT		470,000	79,000	168,000	683,000	1,400,000	

^{1/} Some district acreages omitted in order to prevent disclosure of individual operations. 2/ Includes varieties not listed above and unknown varieties.

